Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	B Ramachandran
	(ii) Name of HCF or CBMWTF	:	M/s ARR Charitable Trust
	(iii) Address for Correspondence	:	No.3/7, 41 st Street, 6th Avenue, Ashok Nagar, Chennai-600083
	(iv) Address of Facility		S.No. 51/ 1A1, etc Nallur Village, Ponneri Taluk, Tiruvallur District
	(v)Tel. No, Fax. No	:	
	(vi) E-mail ID	:	Projectho@svmchrc.ac.in
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF		13° 2'56.28" N 80° 10' 13.19" E
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 25BAC64788074 Dated 17/04/2025 Valid upto 31/03/2026
	(xi). Status of Consents under Water Act and Air	:	Valid up to: 31/03/2026
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 815
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	-
	(iii) License number and its date of expiry		
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered By CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	____Kg per day

16 OCT 2026

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	___Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category Red Category : White: Blue Category : General Solid waste:
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : Capacity : Provision of on-site storage : (Cold storage or any other provision)
	(ii) Details of the treatment or disposal facilities	:	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	:	Red Category (like plastic, glass etc.) 9125 Kg/Annum
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1
	(v) Details of incineration ash and ETP sludge generated and disposed		

Type of Treatment Equipment	No of units	Capacity Kg/day	Quantity treatedor disposed in kg per annum
Incinerators	0		
Plasma Pyrolysis	0		
Autoclaves	1		
Microwave	0		
Hydroclave	0		
Shredder	0		
Needle tip cutter or destroyer	2	-	
Sharps encapsulation or concrete pit	0	-	
Deep burial pits: Chemical disinfection:	0	-	
Any other	0		

	during the treatment of wastes in Kg per annum		Incineration - Ash - ETP Sludge: 10 Kg/Day
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s. RE SUSTAINABILITY IWM SOLUTIONS LIMITED
	(vii) List of member HCF not handed over bio-medical waste.		-
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		-
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		2
	(ii) number of personnel trained		5
	(iii) number of personnel trained at the time of induction		-
	(iv) number of personnel Not undergone any training so far		-
	(v) whether standard manual for training is available?		-
	(vi) any other information)		-
8	Details of the accident Occurred during the year		
	(i) Number of Accidents occurred		-
	(ii) Number of the persons affected		-
	(iii) Remedial Action taken (Please attach details if any)		--
	(iv) Any Fatality occurred, details.		-
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		There is no Incinerator
	Details of Continuous online emission monitoring systems installed		-
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Liquid waste is treated in ETP
11	Does the disinfection method or Sterilization meeting the log 4		-

	standards? How many times you have not met the standards in a year?		
12.	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) - No

For ARR CHARITABLE TRUST

Certified that the above report is for the period from

Trustee

Name and Signature of the Head of the Institution

Date:

Place: